

# PAK<sup>®</sup>12 and PAK<sup>®</sup>12G (PAK12, PAK12G) Recording Sheet RS

**TECH** \_\_\_\_\_

**DATE** \_\_\_\_\_

**LOT** \_\_\_\_\_



**PC / AVE** \_\_\_\_\_

		NC		ID#		ID#		ID#		ID#		ID#		
GPIIb/IIIa	HPA-1a/1a HPA-3a/3a HPA-4a/	<b>A</b>												
	HPA-1b/1b HPA-3b/3b HPA-4a/	<b>B</b>												
	HPA-1a/1a HPA-3b/3b HPA-4a	<b>C</b>												
GPIa/IIa	HPA-5b/5b	<b>D</b>												
	HPA-5a/5a	<b>E</b>												
GPIb/IX		<b>F</b>												
HLA		<b>G</b>												
		<b>H</b>	Blank	Blank	PC	PC								
			<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>

**PAK<sup>®</sup>12 and PAK<sup>®</sup>12G (PAK12, PAK12G) Recording Sheet** **RS**

<b>SYMBOL</b>	<b>ENGLISH</b>	<b>DEUTSCH</b>	<b>FRANÇAIS</b>	<b>GREEK</b>	<b>ITALIANO</b>	<b>PORTUGUÊS</b>	<b>ESPAÑOL</b>	<b>DANSK</b>	<b>SVENSK</b>
<b>RS</b>	Recording Sheet	Protokollbogen	Tableaux de résultats	Φύλλο Καταγραφής	Foglio di lavoro	Tabela de resultados	Tabla de Resultados	Resultat skema	Registreringsblad
<b>ID #</b>	Identification Number	Identifikationsnummer	N° identification du patient	Αριθμός Ταυτότητας	Numero di identificazione	Número de identificação	N° de identificación	Identifikationsnummer	Identitetsnummer
<b>DATE</b>	Date Read	Datum	Date	Ημερομηνία	Data	Data da leitura	Fecha	Dato	Läsdatum
<b>TECH</b>	Technologist	Untersucher	Technologue	Τεχνολόγος	Tecnico	Técnico	Analista	Tekniker	Tekniker
<b>NC</b>	Negative Control	Negative Kontrolle	Contrôle négatif (A)	Αρνητικός Όρος ελέγχου	Controllo negativo	Controlo negativo	Control negativo	Negativ Kontrol	Negativ kontroll
<b>PC</b>	Positive Control	Positive Kontrolle	Contrôle positif	Θετικός Όρος ελέγχου	Controllo positivo	Controlo positivo	Control positivo	Positiv Kontrol	Positiv kontroll
<b>AVE</b>	Average	Durchschnitt	Moyenne	ΜΕΣΟΣ ΟΡΟΣ	Media	Média	Media	Gennemsnit	Genomsnitt
<b>Blank</b>	Blank Well	Blank	Puits vierge	ΤΥΦΛΟ	Bianco	Poço do Branco	Pocillo del Blanco	Blank	Blankbrunn
<b>DIL</b>	Dilute Before Use	Vor Gebrauch verdünnen	Diluée avec de l'eau distillée avant utilisation	Αραιώστε πριν την Χρήση	Diluire con acqua deionizzata prima dell'uso	Diluir	Dilución	Fortyndes før brug	Späds före användning