

QUIKSCREEN® (QS3G) Recording Sheet

RS

TECH

DATE

LOT



NC / CTF

PC / AVE

| | | | | | | | | | | | | |
|---|------------|--|--|--|--|--|--|--|--|--|----|-------|
| A | ID# / NAME | | | | | | | | | | NC | Blank |
| | OD | | | | | | | | | | | |
| | AVE | | | | | | | | | | | |
| B | ID# / NAME | | | | | | | | | | NC | Blank |
| | OD | | | | | | | | | | | |
| | AVE | | | | | | | | | | | |
| C | ID# / NAME | | | | | | | | | | NC | Blank |
| | OD | | | | | | | | | | | |
| | AVE | | | | | | | | | | | |
| D | ID# / NAME | | | | | | | | | | NC | Blank |
| | OD | | | | | | | | | | | |
| | AVE | | | | | | | | | | | |
| E | ID# / NAME | | | | | | | | | | NC | Blank |
| | OD | | | | | | | | | | | |
| | AVE | | | | | | | | | | | |
| F | ID# / NAME | | | | | | | | | | NC | Blank |
| | OD | | | | | | | | | | | |
| | AVE | | | | | | | | | | | |
| G | ID# / NAME | | | | | | | | | | PC | Blank |
| | OD | | | | | | | | | | | |
| | AVE | | | | | | | | | | | |
| H | ID# / NAME | | | | | | | | | | PC | Blank |
| | OD | | | | | | | | | | | |
| | AVE | | | | | | | | | | | |

1 2 3 4 5 6 7 8 9 10 11 12

QUIKSCREEN® (QS3G) Recording Sheet

| |
|----|
| RS |
|----|

| SYMBOL | ENGLISH | DEUTSCH | FRANÇAIS | GREEK | ITALIANO | PORTUGUÊS | ESPAÑOL | SVENSK |
|--------------|-----------------------|------------------------|--|-------------------------|--|-------------------------|----------------------|------------------------|
| RS | Recording Sheet | Protokollbogen | Tableaux de résultats | Φύλλο Καταγραφής | Foglio di lavoro | Tabela de resultados | Tabla de Resultados | Registreringsblad |
| ID # | Identification Number | Identifikationsnummer | N° identification du patient | Αριθμός Ταυτότητας | Numero di identificazione | Número de identificação | N° de identificación | Identitetsnummer |
| NAME | Patient Name | Name des Patienten | Nom du patient | Όνομα Ασθενούς | Nome paziente | Nome do paciente | Nombre de paciente | Patientnamn |
| DATE | Date Read | Datum | Date | Ημερομηνία | Data | Data da leitura | Fecha | Läsdatum |
| TECH | Technologist | Untersucher | Technologue | Τεχνολόγος | Tecnico | Técnico | Analista | Tekniker |
| NC | Negative Control | Negative Kontrolle | Contrôle négatif | Αρνητικός Ορός ελέγχου | Controllo negativo | Controlo negativo | Control negativo | Negativ kontroll |
| PC | Positive Control | Positive Kontrolle | Contrôle positif | Θετικός Ορός ελέγχου | Controllo positivo | Controlo positivo | Control positivo | Positiv kontroll |
| OD | Optical Density Value | Optische Dichte | Densité optique | ΟΠΤΙΚΗ ΑΠΟΡΡΟΦΗΣΗ | Densità Ottica | Densidade Óptica (DO) | Densidad Optica | Optiskt densitetsvärde |
| AVE | Average | Durchschnitt | Moyenne | ΜΕΣΟΣ ΟΡΟΣ | Media | Média | Media | Genomsnitt |
| Blank | Blank Well | Blank | Puits vierge | ΤΥΦΛΟ | Bianco | Poço do Branco | Pocillo del Blanco | Blankbrunn |
| CTF | Cutoff | Cutoff | Coupure | Όριο θετικότητας | Cutoff | Cut-off | Cut Off | Späds före användning |
| DIL | Dilute Before Use | Vor Gebrauch verdünnen | Diluée avec de l'eau distillée avant utilisation | Αραιώστε πριν την Χρήση | Diluire con acqua deionizzata prima dell'uso | Diluir | Dilución | Brytvärde |